
SOFA Astronomy Library

PREFACE

The routines described here comprise the SOFA astronomy library. Their general appearance and coding style conforms to conventions agreed by the SOFA Review Board, and their functions, names and algorithms have been ratified by the Board. Procedures for soliciting and agreeing additions to the library are still evolving.

At present the routines are all written in Fortran 77, complying with the ANSI standard (X3.9-1978) except in two respects:

- (1) All routine names are prefixed with the string "iau_". If necessary, the string can be removed globally; the result is correctly functioning code.
- (2) All routines include an IMPLICIT NONE statement. This can be removed without affecting the behaviour of the code.

If the "iau_" string and/or the IMPLICIT NONE statements are removed globally, the resulting code is fully ANSI-compliant and is functionally unaffected.

GENERAL PRINCIPLES

The principal function of the SOFA Astronomy Library is to define algorithms. A secondary function is to provide software suitable for convenient direct use by writers of astronomical applications.

The astronomy routines call on the SOFA vector/matrix library routines, which are separately listed.

The routines are designed to exploit the full floating-point accuracy of the machines on which they run, and not to rely on compiler optimizations. Within these constraints, the intention is that the code corresponds to the published formulation (if any).

Dates are always Julian Dates (except in calendar conversion routines) and are expressed as two double precision numbers which sum to the required value.

A distinction is made between routines that implement IAU-approved models and those that use those models to create other results. The former are referred to as "canonical models" in the preamble comments; the latter are described as "support routines".

Using the library requires knowledge of positional astronomy and time-scales. These topics are covered in "Explanatory Supplement to the Astronomical Almanac", P. Kenneth Seidelmann (ed.), University Science Books, 1992. Recent developments are documented in the journals, and references to the relevant papers are given in the SOFA code as required. The IERS Conventions are also an essential reference. The routines concerned with Earth attitude (precession-nutation etc.) are described in the SOFA document sofa_pn.pdf.

ROUTINES

Calendars

CAL2JD	Gregorian calendar to Julian Day number
EPB	Julian Date to Besselian Epoch
EPB2JD	Besselian Epoch to Julian Date
EPJ	Julian Date to Julian Epoch
EPJ2JD	Julian Epoch to Julian Date
JD2CAL	Julian Date to Gregorian year, month, day, fraction

JDCALF Julian Date to Gregorian date for formatted output

Time scales

DAT Delta(AT) (=TAI-UTC) for a given UTC date
DTDB TDB-TT

Earth rotation angle and sidereal time

EE00 equation of the equinoxes, IAU 2000
EE00A equation of the equinoxes, IAU 2000A
EE00B equation of the equinoxes, IAU 2000B
EE06A equation of the equinoxes, IAU 2006/2000A
EECT00 equation of the equinoxes complementary terms
EQEQ94 equation of the equinoxes, IAU 1994
ERA00 Earth rotation angle, IAU 2000
GMST00 Greenwich mean sidereal time, IAU 2000
GMST06 Greenwich mean sidereal time, IAU 2006
GMST82 Greenwich mean sidereal time, IAU 1982
GST00A Greenwich Apparent Sidereal Time, IAU 2000A
GST00B Greenwich Apparent Sidereal Time, IAU 2000B
GST06 Greenwich apparent ST, IAU 2006, given NPB matrix
GST06A Greenwich apparent sidereal time, IAU 2006/2000A
GST94 Greenwich Apparent Sidereal Time, IAU 1994

Ephemerides (limited precision)

EPV00 Earth position and velocity
PLAN94 major-planet position and velocity

Precession, nutation, polar motion

BI00 frame bias components, IAU 2000
BP00 frame bias and precession matrices, IAU 2000
BP06 frame bias and precession matrices, IAU 2006
BPN2XY extract CIP X,Y coordinates from NPB matrix
C2I00A celestial-to-intermediate matrix, IAU 2000A
C2I00B celestial-to-intermediate matrix, IAU 2000B
C2I06A celestial-to-intermediate matrix, IAU 2006/2000A
C2IBPN celestial-to-intermediate matrix, given NPB matrix, IAU 2000
C2IXY celestial-to-intermediate matrix, given X,Y, IAU 2000
C2IXYS celestial-to-intermediate matrix, given X,Y and s
C2T00A celestial-to-terrestrial matrix, IAU 2000A
C2T00B celestial-to-terrestrial matrix, IAU 2000B
C2T06A celestial-to-terrestrial matrix, IAU 2006/2000A
C2TCIO form CIO-based celestial-to-terrestrial matrix
C2TEQX form equinox-based celestial-to-terrestrial matrix
C2TPE celestial-to-terrestrial matrix given nutation, IAU 2000
C2TXY celestial-to-terrestrial matrix given CIP, IAU 2000
EO06A equation of the origins, IAU 2006/2000A
EORS equation of the origins, given NPB matrix and s
FW2M Fukushima-Williams angles to r-matrix
FW2XY Fukushima-Williams angles to X,Y
NUM00A nutation matrix, IAU 2000A
NUM00B nutation matrix, IAU 2000B
NUM06A nutation matrix, IAU 2006/2000A
NUMAT form nutation matrix
NUT00A nutation, IAU 2000A
NUT00B nutation, IAU 2000B
NUT06A nutation, IAU 2006/2000A
NUT80 nutation, IAU 1980
NUTM80 nutation matrix, IAU 1980
OBL06 mean obliquity, IAU 2006
OBL80 mean obliquity, IAU 1980
PB06 zeta,z,theta precession angles, IAU 2006, including bias
PFW06 bias-precession Fukushima-Williams angles, IAU 2006
PMAT00 precession matrix (including frame bias), IAU 2000
PMAT06 PB matrix, IAU 2006
PMAT76 precession matrix, IAU 1976
PN00 bias/precession/nutation results, IAU 2000
PN00A bias/precession/nutation, IAU 2000A
PN00B bias/precession/nutation, IAU 2000B
PN06 bias/precession/nutation results, IAU 2006

PN06A	bias/precession/nutation results, IAU 2006/2000A
PNM00A	classical NPB matrix, IAU 2000A
PNM00B	classical NPB matrix, IAU 2000B
PNM06A	classical NPB matrix, IAU 2006/2000A
PNM80	precession/nutation matrix, IAU 1976/1980
P06E	precession angles, IAU 2006, equinox based
POM00	polar motion matrix
PR00	IAU 2000 precession adjustments
PREC76	accumulated precession angles, IAU 1976
S00	the CIO locator s, given X,Y, IAU 2000A
S00A	the CIO locator s, IAU 2000A
S00B	the CIO locator s, IAU 2000B
S06	the CIO locator s, given X,Y, IAU 2006
S06A	the CIO locator s, IAU 2006/2000A
SP00	the TIO locator s', IERS 2003
XY06	CIP, IAU 2006/2000A, from series
XYS00A	CIP and s, IAU 2000A
XYS00B	CIP and s, IAU 2000B
XYS06A	CIP and s, IAU 2006/2000A

Fundamental arguments for nutation etc.

FAD03	mean elongation of the Moon from the Sun
FAE03	mean longitude of Earth
FAF03	mean argument of the latitude of the Moon
FAJU03	mean longitude of Jupiter
FAL03	mean anomaly of the Moon
FALP03	mean anomaly of the Sun
FAMA03	mean longitude of Mars
FAME03	mean longitude of Mercury
FANE03	mean longitude of Neptune
FAOM03	mean longitude of the Moon's ascending node
FAPA03	general accumulated precession in longitude
FASA03	mean longitude of Saturn
FAUR03	mean longitude of Uranus
FAVE03	mean longitude of Venus

Star space motion

PVSTAR	space motion pv-vector to star catalog data
STARPV	star catalog data to space motion pv-vector

Star catalog conversions

FK52H	transform FK5 star data into the Hipparcos system
FK5HIP	FK5 to Hipparcos rotation and spin
FK5HZ	FK5 to Hipparcos assuming zero Hipparcos proper motion
H2FK5	transform Hipparcos star data into the FK5 system
HFK5Z	Hipparcos to FK5 assuming zero Hipparcos proper motion
STARPM	proper motion between two epochs

Obsolete

C2TCEO	former name of C2TCIO
--------	-----------------------

CALLS

SUBROUTINE	iau_BI00 (DPSIBI, DEPSBI, DRA)
SUBROUTINE	iau_BP00 (DATE1, DATE2, RB, RP, RBP)
SUBROUTINE	iau_BP06 (DATE1, DATE2, RB, RP, RBP)
SUBROUTINE	iau_BPN2XY (RBPN, X, Y)
SUBROUTINE	iau_C2I00A (DATE1, DATE2, RC2I)
SUBROUTINE	iau_C2I00B (DATE1, DATE2, RC2I)
SUBROUTINE	iau_C2I06A (DATE1, DATE2, RC2I)
SUBROUTINE	iau_C2IBPN (DATE1, DATE2, RBPN, RC2I)
SUBROUTINE	iau_C2IXY (DATE1, DATE2, X, Y, RC2I)
SUBROUTINE	iau_C2IXYS (X, Y, S, RC2I)
SUBROUTINE	iau_C2T00A (TTA, TTB, UTA, UTB, XP, YP, RC2T)
SUBROUTINE	iau_C2T00B (TTA, TTB, UTA, UTB, XP, YP, RC2T)
SUBROUTINE	iau_C2T06A (TTA, TTB, UTA, UTB, XP, YP, RC2T)
SUBROUTINE	iau_C2TCEO (RC2I, ERA, RPOM, RC2T)
SUBROUTINE	iau_C2TCIO (RC2I, ERA, RPOM, RC2T)

```

SUBROUTINE      iau_C2TEQX ( RBPN, GST, RPOM, RC2T )
SUBROUTINE      iau_C2TPE ( TTA, TTB, UTA, UTB, DPSI, DEPS,
                           XP, YP, RC2T )
SUBROUTINE      iau_C2TXY ( TTA, TTB, UTA, UTB, X, Y, XP, YP,
                           RC2T )
SUBROUTINE      iau_CAL2JD ( IY, IM, ID, DJM0, DJM, J )
SUBROUTINE      iau_DAT  ( IY, IM, ID, FD, DELTAT, J )
DOUBLE PRECISION FUNCTION
    iau_DTDB ( DATE1, DATE2, UT, ELONG, U, V )
DOUBLE PRECISION FUNCTION
    iau_EE00  ( DATE1, DATE2, EPSA, DPSI )
DOUBLE PRECISION FUNCTION
    iau_EE00A ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
    iau_EE00B ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
    iau_EE06A ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
    iau_EECT00 ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
    iau_EO06A ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
    iau_EORS  ( RNPB, S )
DOUBLE PRECISION FUNCTION
    iau_EPB   ( DJ1, DJ2 )
SUBROUTINE      iau_EPB2JD ( EPB, DJM0, DJM )
DOUBLE PRECISION FUNCTION
    iau_EPJ   ( DJ1, DJ2 )
SUBROUTINE      iau_EPJ2JD ( EPJ, DJM0, DJM )
SUBROUTINE      iau_EPV00 ( DJ1, DJ2, PVH, PVB, J )
DOUBLE PRECISION FUNCTION
    iau_EQEQ94 ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
    iau ERA00 ( DJ1, DJ2 )
DOUBLE PRECISION FUNCTION
    iau_FAD03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAE03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAF03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAJU03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAL03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FALP03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAMA03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAME03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FANE03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAOM03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAPA03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FASA03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAUR03 ( T )
DOUBLE PRECISION FUNCTION
    iau_FAVE03 ( T )
SUBROUTINE      iau_FK52H ( R5, D5, DR5, DD5, PX5, RV5,
                           RH, DH, DRH, DDH, PXH, RVH )
SUBROUTINE      iau_FK5HIP ( R5H, S5H )
SUBROUTINE      iau_FK5HZ ( R5, D5, DATE1, DATE2, RH, DH )
SUBROUTINE      iau_FW2M  ( GAMB, PHIB, PSI, EPS, R )
SUBROUTINE      iau_FW2XY ( GAMB, PHIB, PSI, EPS, X, Y )
DOUBLE PRECISION FUNCTION
    iau_GMST00 ( UTA, UTB, TTA, TTB )
DOUBLE PRECISION FUNCTION
    iau_GMST06 ( UTA, UTB, TTA, TTB )
DOUBLE PRECISION FUNCTION

```

```

        iau_GMST82 ( UTA, UTB )
DOUBLE PRECISION FUNCTION
        iau_GST00A ( UTA, UTB, TTA, TTB )
DOUBLE PRECISION FUNCTION
        iau_GST00B ( UTA, UTB )
DOUBLE PRECISION FUNCTION
        iau_GST06 ( UTA, UTB, TTA, TTB, RNPB )
DOUBLE PRECISION FUNCTION
        iau_GST06A ( UTA, UTB, TTA, TTB )
DOUBLE PRECISION FUNCTION
        iau_GST94 ( UTA, UTB )
SUBROUTINE      iau_H2FK5 ( RH, DH, DRH, DDH, PXH, RVH,
                           R5, D5, DR5, DD5, PX5, RV5 )
SUBROUTINE      iau_HFK5Z ( RH, DH, DATE1, DATE2,
                           R5, D5, DR5, DD5 )
SUBROUTINE      iau_JD2CAL ( DJ1, DJ2, IY, IM, ID, FD, J )
SUBROUTINE      iau_JDCALF ( NDP, DJ1, DJ2, IYMD, J )
SUBROUTINE      iau_NUM00A ( DATE1, DATE2, RMATN )
SUBROUTINE      iau_NUM00B ( DATE1, DATE2, RMATN )
SUBROUTINE      iau_NUM06A ( DATE1, DATE2, RMATN )
SUBROUTINE      iau_NUMAT ( EPSA, DPSI, DEPS, RMATN )
SUBROUTINE      iau_NUT00A ( DATE1, DATE2, DPSI, DEPS )
SUBROUTINE      iau_NUT00B ( DATE1, DATE2, DPSI, DEPS )
SUBROUTINE      iau_NUT06A ( DATE1, DATE2, DPSI, DEPS )
SUBROUTINE      iau_NUT80 ( DATE1, DATE2, DPSI, DEPS )
SUBROUTINE      iau_NUTM80 ( DATE1, DATE2, RMATN )
DOUBLE PRECISION FUNCTION
        iau_OBL06 ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
        iau_OBL80 ( DATE1, DATE2 )
SUBROUTINE      iau_PB06 ( DATE1, DATE2, BZETA, BZ, BTHETA )
SUBROUTINE      iau_PFW06 ( DATE1, DATE2, GAMB, PHIB, PSIB, EPSA )
SUBROUTINE      iau_PLAN94 ( DATE1, DATE2, NP, PV, J )
SUBROUTINE      iau_PMAT00 ( DATE1, DATE2, RBP )
SUBROUTINE      iau_PMAT06 ( DATE1, DATE2, RBP )
SUBROUTINE      iau_PMAT76 ( DJ1, DJ2, RMATP )
SUBROUTINE      iau_PN00 ( DATE1, DATE2, DPSI, DEPS,
                           EPSA, RB, RP, RBP, RN, RBPN )
SUBROUTINE      iau_PN00A ( DATE1, DATE2, DPSI, DEPS, EPSA,
                           RB, RP, RBP, RN, RBPN )
SUBROUTINE      iau_PN00B ( DATE1, DATE2, DPSI, DEPS, EPSA,
                           RB, RP, RBP, RN, RBPN )
SUBROUTINE      iau_PN06 ( DATE1, DATE2, DPSI, DEPS,
                           EPSA, RB, RP, RBP, RN, RBPN )
SUBROUTINE      iau_PN06A ( DATE1, DATE2,
                           RB, RP, RBP, RN, RBPN )
SUBROUTINE      iau_PNM00A ( DATE1, DATE2, RBPN )
SUBROUTINE      iau_PNM00B ( DATE1, DATE2, RBPN )
SUBROUTINE      iau_PNM06A ( DATE1, DATE2, RNPB )
SUBROUTINE      iau_PNM80 ( DATE1, DATE2, RMATPN )
SUBROUTINE      iau_P06E ( DATE1, DATE2,
                           EPS0, PSIA, OMA, BPA, BQA, PIA, BPIA,
                           EPSA, CHIA, ZA, ZETAA, THETAA, PA,
                           GAM, PHI, PSI )
SUBROUTINE      iau_POM00 ( XP, YP, SP, RPOM )
SUBROUTINE      iau_PR00 ( DATE1, DATE2, DPSIPR, DEPSPR )
SUBROUTINE      iau_PREC76 ( EP01, EP02, EP11, EP12,
                           ZETA, Z, THETA )
SUBROUTINE      iau_PVSTAR ( PV, RA, DEC, PMR, PMD, PX, RV, J )
DOUBLE PRECISION FUNCTION
        iau_S00 ( DATE1, DATE2, X, Y )
DOUBLE PRECISION FUNCTION
        iau_S00A ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
        iau_S00B ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
        iau_S06 ( DATE1, DATE2, X, Y )
DOUBLE PRECISION FUNCTION
        iau_S06A ( DATE1, DATE2 )
DOUBLE PRECISION FUNCTION
        iau_SP00 ( DATE1, DATE2 )
SUBROUTINE      iau_STARPM ( RA1, DEC1, PMR1, PMD1, PX1, RV1,
                           EP1A, EP1B, EP2A, EP2B,

```

```

SUBROUTINE      iau_STARPV ( RA, DEC, PMR, PMD, PX, RV, PV, J )
SUBROUTINE      iau_XYS06 ( DATE1, DATE2, X, Y )
SUBROUTINE      iau_XYS00A ( DATE1, DATE2, X, Y, S )
SUBROUTINE      iau_XYS00B ( DATE1, DATE2, X, Y, S )
SUBROUTINE      iau_XYS06A ( DATE1, DATE2, X, Y, S )

```