
SOFA Astronomy Library

PREFACE

The routines described here comprise the SOFA astronomy library. Their general appearance and coding style conforms to conventions agreed by the SOFA Board, and their functions, names and algorithms have been ratified by the Board. Procedures for soliciting and agreeing additions to the library are still evolving.

PROGRAMMING LANGUAGES

The SOFA routines are available in two programming languages at present: Fortran 77 and ANSI C.

Except for a single obsolete Fortran routine, which has no C equivalent, there is a one-to-one relationship between the two language versions. The naming convention is such that a SOFA routine referred to generically as "EXAMPL" exists as a Fortran subprogram `iau_EXAMPL` and a C function `iauExampl`. The calls for the two versions are very similar, with the same arguments in the same order. In a few cases, the C equivalent of a Fortran SUBROUTINE subprogram uses a return value rather than an argument.

GENERAL PRINCIPLES

The principal function of the SOFA Astronomy Library is to provide definitive algorithms. A secondary function is to provide software suitable for convenient direct use by writers of astronomical applications.

The astronomy routines call on the SOFA vector/matrix library routines, which are separately listed.

The routines are designed to exploit the full floating-point accuracy of the machines on which they run, and not to rely on compiler optimizations. Within these constraints, the intention is that the code corresponds to the published formulation (if any).

Dates are always Julian Dates (except in calendar conversion routines) and are expressed as two double precision numbers which sum to the required value.

A distinction is made between routines that implement IAU-approved models and those that use those models to create other results. The former are referred to as "canonical models" in the preamble comments; the latter are described as "support routines".

Using the library requires knowledge of positional astronomy and time-scales. These topics are covered in "Explanatory Supplement to the Astronomical Almanac", 3rd Edition, Sean E. Urban & P. Kenneth Seidelmann (eds.), University Science Books, 2013. Recent developments are documented in the scientific journals, and references to the relevant papers are given in the SOFA code as required. The IERS Conventions are also an essential reference. The routines concerned with Earth attitude (precession-nutation etc.) are described in the SOFA document `sofa_pn.pdf`. Those concerned with transformations between different time scales are described in `sofa_ts_f.pdf` (Fortran) and `sofa_ts_c.pdf` (C). Those concerned with astrometric transformations are described in `sofa_ast_f.pdf` (Fortran) and `sofa_ast_c` (C).

ROUTINES

Calendars

CAL2JD	Gregorian calendar to Julian Day number
EPB	Julian Date to Besselian Epoch
EPB2JD	Besselian Epoch to Julian Date
EPJ	Julian Date to Julian Epoch
EPJ2JD	Julian Epoch to Julian Date
JD2CAL	Julian Date to Gregorian year, month, day, fraction
JDCALF	Julian Date to Gregorian date for formatted output

Astrometry

AB	apply stellar aberration
APCG	prepare for ICRS <-> GCRS, geocentric, special
APCG13	prepare for ICRS <-> GCRS, geocentric
APCI	prepare for ICRS <-> CIRS, terrestrial, special
APCI13	prepare for ICRS <-> CIRS, terrestrial
APCO	prepare for ICRS <-> observed, terrestrial, special
APCO13	prepare for ICRS <-> observed, terrestrial
APCS	prepare for ICRS <-> CIRS, space, special
APCS13	prepare for ICRS <-> CIRS, space
APER	insert ERA into context
APER13	update context for Earth rotation
APIO	prepare for CIRS <-> observed, terrestrial, special
APIO13	prepare for CIRS <-> observed, terrestrial
ATCI13	catalog -> CIRS
ATCIQ	quick ICRS -> CIRS
ATCIQN	quick ICRS -> CIRS, multiple deflections
ATCIQZ	quick astrometric ICRS -> CIRS
ATCO13	ICRS -> observed
ATIC13	CIRS -> ICRS
ATICQ	quick CIRS -> ICRS
ATCIQN	quick CIRS -> ICRS, multiple deflections
ATIO13	CIRS -> observed
ATIOQ	quick CIRS -> observed
ATOC13	observed -> astrometric ICRS
ATOI13	observed -> CIRS
ATOIQ	quick observed -> CIRS
LD	light deflection by a single solar-system body
LDN	light deflection by multiple solar-system bodies
LDSUN	light deflection by the Sun
PMPX	apply proper motion and parallax
PMSAFE	apply proper motion, with zero-parallax precautions
PVTOB	observatory position and velocity
PVSTAR	space motion pv-vector to star catalog data
REFCO	refraction constants
STARPM	apply proper motion
STARPV	star catalog data to space motion pv-vector

Time scales

D2DTF	format 2-part JD for output
DAT	Delta(AT) (=TAI-UTC) for a given UTC date
DTDB	TDB-TT
DTF2D	encode time and date fields into 2-part JD
TAITT	TAI to TT
TAIUT1	TAI to UT1
TAIUTC	TAI to UTC
TCBTDB	TCB to TDB
TCGTT	TCG to TT
TDBTCB	TDB to TCB
TDBTT	TDB to TT
TTTAI	TT to TAI
TTTCG	TT to TCG
TTTDB	TT to TDB
TTUT1	TT to UT1
UT1TAI	UT1 to TAI
UT1TT	UT1 to TT
UT1UTC	UT1 to UTC
UTCTAI	UTC to TAI
UTCUT1	UTC to UT1

Earth rotation angle and sidereal time

EE00	equation of the equinoxes, IAU 2000
------	-------------------------------------

EE00A	equation of the equinoxes, IAU 2000A
EE00B	equation of the equinoxes, IAU 2000B
EE06A	equation of the equinoxes, IAU 2006/2000A
EECT00	equation of the equinoxes complementary terms, IAU 2000
EQEQ94	equation of the equinoxes, IAU 1994
ERA00	Earth rotation angle, IAU 2000
GMST00	Greenwich mean sidereal time, IAU 2000
GMST06	Greenwich mean sidereal time, IAU 2006
GMST82	Greenwich mean sidereal time, IAU 1982
GST00A	Greenwich apparent sidereal time, IAU 2000A
GST00B	Greenwich apparent sidereal time, IAU 2000B
GST06	Greenwich apparent ST, IAU 2006, given NPB matrix
GST06A	Greenwich apparent sidereal time, IAU 2006/2000A
GST94	Greenwich apparent sidereal time, IAU 1994

Ephemerides (limited precision)

EPV00	Earth position and velocity
PLAN94	major-planet position and velocity

Precession, nutation, polar motion

BI00	frame bias components, IAU 2000
BP00	frame bias and precession matrices, IAU 2000
BP06	frame bias and precession matrices, IAU 2006
BPN2XY	extract CIP X,Y coordinates from NPB matrix
C2I00A	celestial-to-intermediate matrix, IAU 2000A
C2I00B	celestial-to-intermediate matrix, IAU 2000B
C2I06A	celestial-to-intermediate matrix, IAU 2006/2000A
C2IBPN	celestial-to-intermediate matrix, given NPB matrix, IAU 2000
C2IXY	celestial-to-intermediate matrix, given X,Y, IAU 2000
C2IXYS	celestial-to-intermediate matrix, given X,Y and s
C2T00A	celestial-to-terrestrial matrix, IAU 2000A
C2T00B	celestial-to-terrestrial matrix, IAU 2000B
C2T06A	celestial-to-terrestrial matrix, IAU 2006/2000A
C2TCIO	form CIO-based celestial-to-terrestrial matrix
C2TEQX	form equinox-based celestial-to-terrestrial matrix
C2TPE	celestial-to-terrestrial matrix given nutation, IAU 2000
C2TXY	celestial-to-terrestrial matrix given CIP, IAU 2000
EO06A	equation of the origins, IAU 2006/2000A
EORS	equation of the origins, given NPB matrix and s
FW2M	Fukushima-Williams angles to r-matrix
FW2XY	Fukushima-Williams angles to X,Y
LTP	long-term precession matrix
LTPB	long-term precession matrix, including ICRS frame bias
LTPECL	long-term precession of the ecliptic
LTPEQU	long-term precession of the equator
NUM00A	nutation matrix, IAU 2000A
NUM00B	nutation matrix, IAU 2000B
NUM06A	nutation matrix, IAU 2006/2000A
NUMAT	form nutation matrix
NUT00A	nutation, IAU 2000A
NUT00B	nutation, IAU 2000B
NUT06A	nutation, IAU 2006/2000A
NUT80	nutation, IAU 1980
NUTM80	nutation matrix, IAU 1980
OBL06	mean obliquity, IAU 2006
OBL80	mean obliquity, IAU 1980
PB06	zeta,z,theta precession angles, IAU 2006, including bias
PFW06	bias-precession Fukushima-Williams angles, IAU 2006
PMAT00	precession matrix (including frame bias), IAU 2000
PMAT06	PB matrix, IAU 2006
PMAT76	precession matrix, IAU 1976
PN00	bias/precession/nutation results, IAU 2000
PN00A	bias/precession/nutation, IAU 2000A
PN00B	bias/precession/nutation, IAU 2000B
PN06	bias/precession/nutation results, IAU 2006
PN06A	bias/precession/nutation results, IAU 2006/2000A
PNM00A	classical NPB matrix, IAU 2000A
PNM00B	classical NPB matrix, IAU 2000B
PNM06A	classical NPB matrix, IAU 2006/2000A
PNM80	precession/nutation matrix, IAU 1976/1980
P06E	precession angles, IAU 2006, equinox based

POM00	polar motion matrix
PR00	IAU 2000 precession adjustments
PREC76	accumulated precession angles, IAU 1976
S00	the CIO locator s, given X,Y, IAU 2000A
S00A	the CIO locator s, IAU 2000A
S00B	the CIO locator s, IAU 2000B
S06	the CIO locator s, given X,Y, IAU 2006
S06A	the CIO locator s, IAU 2006/2000A
SP00	the TIO locator s', IERS 2003
XY06	CIP, IAU 2006/2000A, from series
XYS00A	CIP and s, IAU 2000A
XYS00B	CIP and s, IAU 2000B
XYS06A	CIP and s, IAU 2006/2000A

Fundamental arguments for nutation etc.

FAD03	mean elongation of the Moon from the Sun
FAE03	mean longitude of Earth
FAF03	mean argument of the latitude of the Moon
FAJU03	mean longitude of Jupiter
FAL03	mean anomaly of the Moon
FALP03	mean anomaly of the Sun
FAMA03	mean longitude of Mars
FAME03	mean longitude of Mercury
FANE03	mean longitude of Neptune
FAOM03	mean longitude of the Moon's ascending node
FAPA03	general accumulated precession in longitude
FASA03	mean longitude of Saturn
FAUR03	mean longitude of Uranus
FAVE03	mean longitude of Venus

Star catalog conversions

FK52H	transform FK5 star data into the Hipparcos system
FK5HIP	FK5 to Hipparcos rotation and spin
FK5HZ	FK5 to Hipparcos assuming zero Hipparcos proper motion
H2FK5	transform Hipparcos star data into the FK5 system
HFK5Z	Hipparcos to FK5 assuming zero Hipparcos proper motion
FK425	transform FK4 star data into FK5
FK45Z	FK4 to FK5 assuming zero FK5 proper motion
FK524	transform FK5 star data into FK4
FK54Z	FK5 to FK4 assuming zero FK5 proper motion

Ecliptic coordinates

ECEQ06	ecliptic to ICRS, IAU 2006
ECM06	rotation matrix, ICRS to ecliptic, IAU 2006
EQEC06	ICRS to ecliptic, IAU 2006
LTECEQ	ecliptic to ICRS, long term
LTECM	rotation matrix, ICRS to ecliptic, long-term
LTEQEC	ICRS to ecliptic, long term

Galactic coordinates

G2ICRS	transform IAU 1958 galactic coordinates to ICRS
ICRS2G	transform ICRS coordinates to IAU 1958 Galactic

Geodetic/geocentric

EFORM	a,f for a nominated Earth reference ellipsoid
GC2GD	geocentric to geodetic for a nominated ellipsoid
GC2GDE	geocentric to geodetic given ellipsoid a,f
GD2GC	geodetic to geocentric for a nominated ellipsoid
GD2GCE	geodetic to geocentric given ellipsoid a,f

Gnomonic projection

TPORS	solve for tangent point, spherical
TPORV	solve for tangent point, vector
TPSTS	deproject tangent plane to celestial, spherical
TPSTV	deproject tangent plane to celestial, vector
TPXES	project celestial to tangent plane, spherical
TPXEV	project celestial to tangent plane, vector

Horizon/equatorial

AE2HD (azimuth, altitude) to (hour angle, declination)
HD2AE (hour angle, declination) to (azimuth, altitude)
HD2PA parallactic angle

Obsolete

C2TCEO former name of C2TCIO

CALLS: FORTRAN VERSION

```
CALL iau_AB      ( PNAT, V, S, BM1, PPR )
CALL iau_AE2HD   ( AZ, EL, PHI, HA, DEC )
CALL iau_APAG    ( DATE1, DATE2, EB, EH, ASTROM )
CALL iau_APAG13  ( DATE1, DATE2, ASTROM )
CALL iau_APAGI   ( DATE1, DATE2, EB, EH, X, Y, S, ASTROM )
CALL iau_APAGI13 ( DATE1, DATE2, ASTROM, EO )
CALL iau_APAGO   ( DATE1, DATE2, EB, EH, X, Y, S,
:                   THETA, ELONG, PHI, HM, XP, YP, SP,
:                   REFA, REFB, ASTROM )
CALL iau_APAGO13 ( UTC1, UTC2, DUT1, ELONG, PHI, HM, XP, YP,
:                   PHPA, TC, RH, WL, ASTROM, EO, J )
CALL iau_APAGS   ( DATE1, DATE2, PV, EB, EH, ASTROM )
CALL iau_APAGS13 ( DATE1, DATE2, PV, ASTROM )
CALL iau_APAGR   ( THETA, ASTROM )
CALL iau_APAGR13 ( UT11, UT12, ASTROM )
CALL iau_APAGO   ( SP, THETA, ELONG, PHI, HM, XP, YP,
:                   REFA, REFB, ASTROM )
CALL iau_APAGO13 ( UTC1, UTC2, DUT1, ELONG, PHI, HM, XP, YP,
:                   PHPA, TC, RH, WL, ASTROM, J )
CALL iau_ATCI13  ( RC, DC, PR, PD, PX, RV, DATE1, DATE2, RI, DI, EO )
CALL iau_ATCIQ   ( RC, DC, PR, PD, PX, RV, ASTROM, RI, DI )
CALL iau_ATCIQN  ( RC, DC, PR, PD, PX, RV, ASTROM, N, B, RI, DI )
CALL iau_ATCIQZ  ( RC, DC, ASTROM, RI, DI )
CALL iau_ATCO13  ( RC, DC, PR, PD, PX, RV, UTC1, UTC2, DUT1, ELONG,
:                   PHI, HM, XP, YP, PHPA, TC, RH, WL,
:                   AOB, ZOB, HOB, DOB, ROB, EO, J )
CALL iau_ATCI13  ( RI, DI, DATE1, DATE2, RC, DC, EO )
CALL iau_ATCIQ   ( RI, DI, ASTROM, RC, DC )
CALL iau_ATCIQN  ( RI, DI, ASTROM, N, B, RC, DC )
CALL iau_ATCIO13 ( RI, DI, UTC1, UTC2, DUT1, ELONG, PHI, HM, XP, YP,
:                   PHPA, TC, RH, WL, AOB, ZOB, HOB, DOB, ROB, J )
CALL iau_ATCIOQ  ( RI, DI, ASTROM, AOB, ZOB, HOB, DOB, ROB )
CALL iau_ATOC13  ( TYPE, OB1, OB2, UTC1, UTC2, DUT1,
:                   ELONG, PHI, HM, XP, YP, PHPA, TC, RH, WL,
:                   RC, DC, J )
CALL iau_ATOI13  ( TYPE, OB1, OB2, UTC1, UTC2, DUT1,
:                   ELONG, PHI, HM, XP, YP, PHPA, TC, RH, WL,
:                   RI, DI, J )
CALL iau_ATOIQ   ( TYPE, OB1, OB2, ASTROM, RI, DI )
CALL iau_BI00    ( DPSIBI, DEPSBI, DRA )
CALL iau_BP00    ( DATE1, DATE2, RB, RP, RBP )
CALL iau_BP06    ( DATE1, DATE2, RB, RP, RBP )
CALL iau_BPN2XY  ( RBPN, X, Y )
CALL iau_C2I00A  ( DATE1, DATE2, RC2I )
CALL iau_C2I00B  ( DATE1, DATE2, RC2I )
CALL iau_C2I06A  ( DATE1, DATE2, RC2I )
CALL iau_C2IBPN  ( DATE1, DATE2, RBPN, RC2I )
CALL iau_C2IXY   ( DATE1, DATE2, X, Y, RC2I )
CALL iau_C2IXYS  ( X, Y, S, RC2I )
CALL iau_C2T00A  ( TTA, TTB, UTA, UTB, XP, YP, RC2T )
CALL iau_C2T00B  ( TTA, TTB, UTA, UTB, XP, YP, RC2T )
CALL iau_C2T06A  ( TTA, TTB, UTA, UTB, XP, YP, RC2T )
CALL iau_C2TCEO  ( RC2I, ERA, RPOM, RC2T )
CALL iau_C2TCIO  ( RC2I, ERA, RPOM, RC2T )
CALL iau_C2TEQX  ( RBPN, GST, RPOM, RC2T )
CALL iau_C2TPE   ( TTA, TTB, UTA, UTB, DPSI, DEPS, XP, YP, RC2T )
CALL iau_C2TXY   ( TTA, TTB, UTA, UTB, X, Y, XP, YP, RC2T )
CALL iau_CAL2JD  ( IY, IM, ID, DJM0, DJM, J )
CALL iau_D2DTF   ( SCALE, NDP, D1, D2, IY, IM, ID, IHMSF, J )
```

```

CALL iau_DAT      ( IY, IM, ID, FD, DELTAT, J )
D = iau_DTDB    ( DATE1, DATE2, UT, ELONG, U, V )
CALL iau_DTF2D    ( SCALE, IY, IM, ID, IHR, IMN, SEC, D1, D2, J )
CALL iau_ECEQ06    ( DATE1, DATE2, DL, DB, DR, DD )
CALL iau_ECM06    ( DATE1, DATE2, RM );
D = iau_EE00      ( DATE1, DATE2, EPSA, DPSI )
D = iau_EE00A     ( DATE1, DATE2 )
D = iau_EE00B     ( DATE1, DATE2 )
D = iau_EE06A     ( DATE1, DATE2 )
D = iau_EECT00    ( DATE1, DATE2 )
CALL iau_EFORM     ( N, A, F, J )
D = iau_EO06A     ( DATE1, DATE2 )
D = iau_EORS      ( RNPB, S )
D = iau_EPB       ( DJ1, DJ2 )
CALL iau_EPB2JD   ( EPB, DJM0, DJM )
D = iau_EPJ       ( DJ1, DJ2 )
CALL iau_EPJ2JD   ( EPJ, DJM0, DJM )
CALL iau_EPV00     ( DJ1, DJ2, PVH, PVB, J )
CALL iau_EQEC06    ( DATE1, DATE2, DR, DD, DL, DB )
D = iau_EQEQ94    ( DATE1, DATE2 )
D = iau_ERA00     ( DJ1, DJ2 )
D = iau_FAD03     ( T )
D = iau_FAE03     ( T )
D = iau_FAF03     ( T )
D = iau_FAJU03    ( T )
D = iau_FAL03     ( T )
D = iau_FALP03    ( T )
D = iau_FAMA03    ( T )
D = iau_FAME03    ( T )
D = iau_FANE03    ( T )
D = iau_FAOM03    ( T )
D = iau_FAPA03    ( T )
D = iau_FASA03    ( T )
D = iau_FAUR03    ( T )
D = iau_FAVE03    ( T )
CALL iau_FK425    ( R1950, D1950, DR1950, DD1950, P1950, V1950,
:                   R2000, D2000, DR2000, DD2000, P2000, V2000 )
CALL iau_FK45Z    ( R1950, D1950, BEPOCH, R2000, D2000 )
CALL iau_FK524    ( R2000, D2000, DR2000, DD2000, P2000, V2000,
:                   R1950, D1950, DR1950, DD1950, P1950, V1950 )
CALL iau_FK52H    ( R5, D5, DR5, DD5, PX5, RV5,
:                   RH, DH, DRH, DDH, PXH, RVH )
CALL iau_FK54Z    ( R2000, D2000, BEPOCH, R1950, D1950, DR1950, DD1950 )
CALL iau_FK5HIP   ( R5H, S5H )
CALL iau_FK5HZ    ( R5, D5, DATE1, DATE2, RH, DH )
CALL iau_FW2M     ( GAMB, PHIB, PSI, EPS, R )
CALL iau_FW2XY    ( GAMB, PHIB, PSI, EPS, X, Y )
CALL iau_G2ICRS   ( DL, DB, DR, DD )
CALL iau_GC2GD    ( N, XYZ, ELONG, PHI, HEIGHT, J )
CALL iau_GC2GDE   ( A, F, XYZ, ELONG, PHI, HEIGHT, J )
CALL iau_GD2GC    ( N, ELONG, PHI, HEIGHT, XYZ, J )
CALL iau_GD2GCE   ( A, F, ELONG, PHI, HEIGHT, XYZ, J )
D = iau_GMST00   ( UTA, UTB, TTA, TTB )
D = iau_GMST06   ( UTA, UTB, TTA, TTB )
D = iau_GMST82   ( UTA, UTB )
D = iau_GST00A   ( UTA, UTB, TTA, TTB )
D = iau_GST00B   ( UTA, UTB )
D = iau_GST06    ( UTA, UTB, TTA, TTB, RNPB )
D = iau_GST06A   ( UTA, UTB, TTA, TTB )
D = iau_GST94    ( UTA, UTB )
CALL iau_H2FK5    ( RH, DH, DRH, DDH, PXH, RVH,
:                   R5, D5, DR5, DD5, PX5, RV5 )
CALL iau_HD2AE    ( HA, DEC, PHI, AZ, EL )
D = iau_HD2PA    ( HA, DEC, PHI )
CALL iau_HFK5Z    ( RH, DH, DATE1, DATE2, R5, D5, DR5, DD5 )
CALL iau_ICRS2G   ( DR, DD, DL, DB )
CALL iau_JD2CAL   ( DJ1, DJ2, IY, IM, ID, FD, J )
CALL iau_JDCALF   ( NDP, DJ1, DJ2, IYMD, J )
CALL iau_LD       ( BM, P, Q, E, EM, DLIM, P1 )
CALL iau_LDN      ( N, B, OB, SC, SN )
CALL iau_LDSUN    ( P, E, EM, P1 )
CALL iau_LTECEQ   ( EPJ, DL, DB, DR, DD )
CALL iau_LTECM    ( EPJ, RM ]
)

```

```

CALL iau_LTEQEC ( EPJ, DR, DD, DL, DB )
CALL iau_LTP ( EPJ, RP )
CALL iau_LTPB ( EPJ, RPB )
CALL iau_LTPECL ( EPJ, VEC )
CALL iau_LTPEQU ( EPJ, VEQ )
CALL iau_NUM00A ( DATE1, DATE2, RMATN )
CALL iau_NUM00B ( DATE1, DATE2, RMATN )
CALL iau_NUM06A ( DATE1, DATE2, RMATN )
CALL iau_NUMAT ( EPSA, DPSI, DEPS, RMATN )
CALL iau_NUT00A ( DATE1, DATE2, DPSI, DEPS )
CALL iau_NUT00B ( DATE1, DATE2, DPSI, DEPS )
CALL iau_NUT06A ( DATE1, DATE2, DPSI, DEPS )
CALL iau_NUT80 ( DATE1, DATE2, DPSI, DEPS )
CALL iau_NUTM80 ( DATE1, DATE2, RMATN )
D = iau_OBL06 ( DATE1, DATE2 )
D = iau_OBL80 ( DATE1, DATE2 )
CALL iau_PB06 ( DATE1, DATE2, BZETA, BZ, BTHETA )
CALL iau_PFW06 ( DATE1, DATE2, GAMB, PHIB, PSIB, EPSA )
CALL iau_PLAN94 ( DATE1, DATE2, NP, PV, J )
CALL iau_PMAT00 ( DATE1, DATE2, RBP )
CALL iau_PMAT06 ( DATE1, DATE2, RBP )
CALL iau_PMAT76 ( DATE1, DATE2, RMATP )
CALL iau_PMPX ( RC, DC, PR, PD, PX, RV, PMT, POB, PCO )
CALL iau_PMSAFE ( RA1, DEC1, PMR1, PMD1, PX1, RV1,
                  EP1A, EP1B, EP2A, EP2B,
                  RA2, DEC2, PMR2, PMD2, PX2, RV2, J )
:
CALL iau_PN00 ( DATE1, DATE2, DPSI, DEPS,
                 EPSA, RB, RP, RBP, RN, RBPN )
CALL iau_PN00A ( DATE1, DATE2,
                  DPSI, DEPS, EPSA, RB, RP, RBP, RN, RBPN )
CALL iau_PN00B ( DATE1, DATE2,
                  DPSI, DEPS, EPSA, RB, RP, RBP, RN, RBPN )
CALL iau_PN06 ( DATE1, DATE2, DPSI, DEPS,
                 EPSA, RB, RP, RBP, RN, RBPN )
CALL iau_PN06A ( DATE1, DATE2,
                  DPSI, DEPS, RB, RP, RBP, RN, RBPN )
CALL iau_PNM00A ( DATE1, DATE2, RBPN )
CALL iau_PNM00B ( DATE1, DATE2, RBPN )
CALL iau_PNM06A ( DATE1, DATE2, RNPB )
CALL iau_PNM80 ( DATE1, DATE2, RMATPN )
CALL iau_P06E ( DATE1, DATE2,
                 EPS0, PSIA, OMA, BPA, BQA, PIA, BPIA,
                 EPSA, CHIA, ZA, ZETAA, THETAA, PA, GAM, PHI, PSI )
:
CALL iau_POM00 ( XP, YP, SP, RPOM )
CALL iau_PR00 ( DATE1, DATE2, DPSIPR, DEPSPR )
CALL iau_PREC76 ( DATE01, DATE02, DATE11, DATE12, ZETA, Z, THETA )
CALL iau_PVSTAR ( PV, RA, DEC, PMR, PMD, PX, RV, J )
CALL iau_PVTOB ( ELONG, PHI, HM, XP, YP, SP, THETA, PV )
CALL iau_REFCO ( PHPA, TC, RH, WL, REFA, REFB )
D = iau_S00 ( DATE1, DATE2, X, Y )
D = iau_S00A ( DATE1, DATE2 )
D = iau_S00B ( DATE1, DATE2 )
D = iau_S06 ( DATE1, DATE2, X, Y )
D = iau_S06A ( DATE1, DATE2 )
D = iau_SP00 ( DATE1, DATE2 )
CALL iau_STARPM ( RA1, DEC1, PMR1, PMD1, PX1, RV1,
                  EP1A, EP1B, EP2A, EP2B,
                  RA2, DEC2, PMR2, PMD2, PX2, RV2, J )
:
CALL iau_STARPV ( RA, DEC, PMR, PMD, PX, RV, PV, J )
CALL iau_TAITT ( TAI1, TAI2, TT1, TT2, J )
CALL iau_TAIUT1 ( TAI1, TAI2, DTA, UT11, UT12, J )
CALL iau_TAIUTC ( TAI1, TAI2, UTC1, UTC2, J )
CALL iau_TCBTDB ( TCB1, TCB2, TDB1, TDB2, J )
CALL iau_TCGTT ( TCG1, TCG2, TT1, TT2, J )
CALL iau_TDBTCB ( TDB1, TDB2, TCB1, TCB2, J )
CALL iau_TDBTT ( TDB1, TDB2, DTR, TT1, TT2, J )
CALL iau_TPORS ( XI, ETA, A, B, A01, B01, A02, B02, N )
CALL iau_TPORV ( XI, ETA, V, V01, V02, N )
CALL iau_TPSTS ( XI, ETA, A0, B0, A, B )
CALL iau_TPSTV ( XI, ETA, V0, V )
CALL iau_TPXES ( A, B, A0, B0, XI, ETA, J )
CALL iau_TPXEV ( V, V0, XI, ETA, J )
CALL iau_TTTAI ( TT1, TT2, TAI1, TAI2, J )

```

```

CALL iau_TTCG  ( TT1, TT2, TCG1, TCG2, J )
CALL iau_TTDB  ( TT1, TT2, DTR, TDB1, TDB2, J )
CALL iau_TTUT1 ( TT1, TT2, DT, UT11, UT12, J )
CALL iau_UT1TAI ( UT11, UT12, TAI1, TAI2, J )
CALL iau_UT1TT ( UT11, UT12, DT, TT1, TT2, J )
CALL iau_UT1UTC ( UT11, UT12, DUT, UTC1, UTC2, J )
CALL iau_UTCTAI ( UTC1, UTC2, DTA, TAI1, TAI2, J )
CALL iau_UTCUT1 ( UTC1, UTC2, DUT, UT11, UT12, J )
CALL iau_XY06   ( DATE1, DATE2, X, Y )
CALL iau_XYS00A ( DATE1, DATE2, X, Y, S )
CALL iau_XYS00B ( DATE1, DATE2, X, Y, S )
CALL iau_XYS06A ( DATE1, DATE2, X, Y, S )

```

CALLS: C VERSION

```

iauAb      ( pnat, v, s, bml, ppr );
iauAe2hd  ( az, el, phi, &ha, &dec );
iauApcg    ( date1, date2, eb, eh, &astrom );
iauApcg13 ( date1, date2, &astrom );
iauApci    ( date1, date2, eb, eh, x, y, s, &astrom );
iauApci13 ( date1, date2, &astrom, &eo );
iauApco    ( date1, date2, eb, eh, x, y, s,
              theta, elong, phi, hm, xp, yp, sp,
              refa, refb, &astrom );
i = iauApco13 ( utc1, utc2, dut1, elong, phi, hm, xp, yp,
                  phpa, tc, rh, wl, &astrom, &eo );
iauApcs    ( date1, date2, pv, eb, eh, &astrom );
iauApcs13 ( date1, date2, pv, &astrom );
iauAper    ( theta, &astrom );
iauAper13 ( ut11, ut12, &astrom );
iauApi0   ( sp, theta, elong, phi, hm, xp, yp, refa, refb,
             &astrom );
i = iauApi013 ( utc1, utc2, dut1, elong, phi, hm, xp, yp,
                  phpa, tc, rh, wl, &astrom );
iauAtci13 ( rc, dc, pr, pd, px, rv, date1, date2,
             &ri, &di, &eo );
iauAtciq   ( rc, dc, pr, pd, px, rv, &astrom, &ri, &di );
iauAtcign  ( rc, dc, pr, pd, px, rv, astrom, n, b, &ri, &di );
iauAtciqz  ( rc, dc, &astrom, &ri, &di );
i = iauAtco13 ( rc, dc, pr, pd, px, rv, utc1, utc2, dut1,
                  elong phi, hm, xp, yp, phpa, tc, rh, wl,
                  aob, zob, hob, dob, rob, eo );
iauAtic13 ( ri, di, date1, date2, &rc, &dc, &eo );
iauAticq   ( ri, di, &astrom, &rc, &dc );
iauAtcign  ( ri, di, astrom, n, b, &rc, &dc );
i = iauAtio13 ( ri, di, utc1, utc2, dut1, elong, phi, hm, xp, yp,
                  phpa, tc, rh, wl, aob, zob, hob, dob, rob );
iauAtioq   ( ri, di, &astrom, &aob, &zob, &hob, &dob, &rob );
i = iauAtoc13 ( type, ob1, ob2, utc1, utc2, dut1,
                  elong, phi, hm, xp, yp, phpa, tc, rh, wl,
                  &rc, &dc );
i = iauAtoi13 ( type, ob1, ob2, utc1, utc2, dut1, elong, phi, hm,
                  xp, yp, phpa, tc, rh, wl, &ri, &di );
iauAtoiq   ( type, ob1, ob2, &astrom, &ri, &di );
iauBi00    ( &dpsibi, &depsbi, &dra );
iauBp00    ( date1, date2, rb, rp, rbp );
iauBp06    ( date1, date2, rb, rp, rbp );
iauBpn2xy  ( rbpn, &x, &y );
iauC2i00a  ( date1, date2, rc2i );
iauC2i00b  ( date1, date2, rc2i );
iauC2i06a  ( date1, date2, rc2i );
iauC2ibpn  ( date1, date2, rbpn, rc2i );
iauC2ixy   ( date1, date2, x, y, rc2i );
iauC2ixys  ( x, y, s, rc2i );
iauC2t00a  ( tta, ttb, uta, utb, xp, yp, rc2t );
iauC2t00b  ( tta, ttb, uta, utb, xp, yp, rc2t );
iauC2t06a  ( tta, ttb, uta, utb, xp, yp, rc2t );
iauC2tcio  ( rc2i, era, rpom, rc2t );
iauC2teqx  ( rbpn, gst, rpom, rc2t );
iauC2tpe   ( tta, ttb, uta, utb, dpsi, deps, xp, yp, rc2t );
iauC2txy   ( tta, ttb, uta, utb, x, y, xp, yp, rc2t );
i = iauCal2jd ( iy, im, id, &djm0, &djm );

```

```

i = iauD2dtf ( scale, ndp, d1, d2, &iy, &im, &id, ihmsf );
i = iauDat ( iy, im, id, fd, &deltat );
d = iauDtdb ( date1, date2, ut, elong, u, v );
i = iauDtf2d ( scale, iy, im, id, ihr, imn, sec, &d1, &d2 );
iauEceq06 ( date1, date2, d1, db, &dr, &dd );
iauEcm06 ( date1, date2, rm );
d = iauEe00 ( date1, date2, epsa, dpsi );
d = iauEe00a ( date1, date2 );
d = iauEe00b ( date1, date2 );
d = iauEe06 ( date1, date2 );
d = iauEect00 ( date1, date2 );
i = iauEform ( n, &a, &f );
d = iauEo06 ( date1, date2 );
d = iauEors ( rnpb, s );
d = iauEpb ( dj1, dj2 );
iauEpb2jd ( epb, &djm0, &djm );
d = iauEpj ( dj1, dj2 );
iauEpj2jd ( epj, &djm0, &djm );
i = iauEpv00 ( dj1, dj2, pvh, pvb );
iauEqec06 ( date1, date2, dr, dd, &d1, &db );
d = iauEqeq94 ( date1, date2 );
d = iauEra00 ( dj1, dj2 );
d = iauFad03 ( t );
d = iauFae03 ( t );
d = iauFaf03 ( t );
d = iauFaju03 ( t );
d = iauFal03 ( t );
d = iauFalp03 ( t );
d = iauFama03 ( t );
d = iauFame03 ( t );
d = iauFane03 ( t );
d = iauFaom03 ( t );
d = iauFapa03 ( t );
d = iauFasa03 ( t );
d = iauFaur03 ( t );
d = iauFave03 ( t );
iauFk425 ( r1950, d1950, dr1950, dd1950, p1950, v1950,
&r2000, &d2000, &dr2000, &dd2000, &p2000, &v2000 );
iauFk45z ( r1950, d1950, beepoch, &r2000, &d2000 );
iauFk524 ( r2000, d2000, dr2000, dd2000, p2000, v2000,
&r1950, &d1950, &dr1950, &dd1950, &p1950, &v1950 );
iauFk52h ( r5, d5, dr5, dd5, px5, rv5,
&rh, &dh, &drh, &ddh, &pxh, &rvh );
iauFk54z ( r2000, d2000, beepoch,
&r1950, &d1950, &dr1950, &dd1950 );
iauFk5hip ( r5h, s5h );
iauFk5hz ( r5, d5, date1, date2, &rh, &dh );
iauFw2m ( gamb, phib, psi, eps, r );
iauFw2xy ( gamb, phib, psi, eps, &x, &y );
iauG2icrs ( dl, db, &dr, &dd );
i = iauGc2gd ( n, xyz, &elong, &phi, &height );
i = iauGc2gde ( a, f, xyz, &elong, &phi, &height );
i = iauGd2gc ( n, elong, phi, height, xyz );
i = iauGd2gce ( a, f, elong, phi, height, xyz );
d = iauGmst00 ( uta, utb, tta, ttb );
d = iauGmst06 ( uta, utb, tta, ttb );
d = iauGmst82 ( uta, utb );
d = iauGst00a ( uta, utb, tta, ttb );
d = iauGst00b ( uta, utb );
d = iauGst06 ( uta, utb, tta, ttb, rnpb );
d = iauGst06a ( uta, utb, tta, ttb );
d = iauGst94 ( uta, utb );
iauH2fk5 ( rh, dh, drh, ddh, pxh, rvh,
&r5, &d5, &dr5, &dd5, &px5, &rv5 );
iauHd2ae ( ha, dec, phi, &az, &el );
d = iauHd2pa ( ha, dec, phi );
iauHfk5z ( rh, dh, date1, date2,
&r5, &d5, &dr5, &dd5 );
iauIcrs2g ( dr, dd, &dl, &db );
i = iauJd2cal ( dj1, dj2, &iy, &im, &id, &fd );
i = iauJdcalf ( ndp, dj1, dj2, iymdf );
iauLd ( bm, p, q, e, em, dlim, pl );
iauLdn ( n, b, ob, sc, sn );

```

```

iauLdsun ( p, e, em, p1 );
iauLteceq ( epj, dl, db, &dr, &dd );
iauLtecm ( epj, rm );
iauLteqec ( epj, dr, dd, &dl, &db );
iauLtp ( epj, rp );
iauLtpb ( epj, rpb );
iauLtpcl ( epj, vec );
iauLtpequ ( epj, veq );
iauNum00a ( date1, date2, rmatn );
iauNum00b ( date1, date2, rmatn );
iauNum06a ( date1, date2, rmatn );
iauNumat ( epsa, dpsi, deps, rmatn );
iauNut00a ( date1, date2, &dpsi, &deps );
iauNut00b ( date1, date2, &dpsi, &deps );
iauNut06a ( date1, date2, &dpsi, &deps );
iauNut80 ( date1, date2, &dpsi, &deps );
iauNutm80 ( date1, date2, rmatn );
d = iauOb106 ( date1, date2 );
d = iauOb180 ( date1, date2 );
iauPb06 ( date1, date2, &bzeta, &bz, &btheta );
iauPfw06 ( date1, date2, &gamb, &phib, &psib, &epsa );
i = iauPlan94 ( date1, date2, np, pv );
iauPmat00 ( date1, date2, rbp );
iauPmat06 ( date1, date2, rbp );
iauPmat76 ( date1, date2, rmatp );
iauPmpx ( rc, dc, pr, pd, px, rv, pmt, pob, pco );
i = iauPmsafe ( ral, dec1, pmr1, pmd1, px1, rv1,
                  ep1a, ep1b, ep2a, ep2b,
                  &ra2, &dec2, &pmr2, &pmd2, &px2, &rv2 );
iauPn00 ( date1, date2, dpsi, deps,
            &epsa, rb, rp, rbp, rn, rbpn );
iauPn00a ( date1, date2,
            &dpsi, &deps, &epsa, rb, rp, rbp, rn, rbpn );
iauPn00b ( date1, date2,
            &dpsi, &deps, &epsa, rb, rp, rbp, rn, rbpn );
iauPn06 ( date1, date2, dpsi, deps,
            &epsa, rb, rp, rbp, rn, rbpn );
iauPn06a ( date1, date2,
            &dpsi, &deps, &epsa, rb, rp, rbp, rn, rbpn );
iauPnm00a ( date1, date2, rbpn );
iauPnm00b ( date1, date2, rbpn );
iauPnm06a ( date1, date2, rnbp );
iauPnm80 ( date1, date2, rmatpn );
iauP06e ( date1, date2,
            &eps0, &psia, &oma, &bpa, &bqa, &pia, &bpia,
            &epsa, &chia, &zeta, &zetaaa, &thetaaa, &pa,
            &gam, &phi, &psi );
iauPom00 ( xp, yp, sp, rpom );
iauPr00 ( date1, date2, &dpsipr, &depspr );
iauPrec76 ( date01, date02, date11, date12, &zeta, &z, &theta );
i = iauPvstar ( pv, &ra, &dec, &pmr, &pmd, &px, &rv );
iauPvtob ( elong, phi, hm, xp, yp, sp, theta, pv );
iauRefco ( phpa, tc, rh, wl, refa, refb );
d = iauS00 ( date1, date2, x, y );
d = iauS00a ( date1, date2 );
d = iauS00b ( date1, date2 );
d = iauS06 ( date1, date2, x, y );
d = iauS06a ( date1, date2 );
d = iauSp00 ( date1, date2 );
i = iauStarpm ( ral, dec1, pmr1, pmd1, px1, rv1,
                  ep1a, ep1b, ep2a, ep2b,
                  &ra2, &dec2, &pmr2, &pmd2, &px2, &rv2 );
i = iauStarpv ( ra, dec, pmr, pmd, px, rv, pv );
i = iauTaitt ( tai1, tai2, &tt1, &tt2 );
i = iauTaiut1 ( tai1, tai2, dta, &util1, &ut12 );
i = iauTaiutc ( tai1, tai2, &utc1, &utc2 );
i = iauTcbtdb ( tcb1, tcb2, &tdb1, &tdb2 );
i = iauTcggt ( tcg1, tcg2, &tt1, &tt2 );
i = iauTdbtcb ( tdb1, tdb2, &tcb1, &tcb2 );
i = iauTdbt ( tdb1, tdb2, dtr, &tt1, &tt2 );
i = iauTpors ( xi, eta, a, b, &a01, &b01, &a02, &b02 );
i = iauTpovr ( xi, eta, v, v01, v02 );
iauTpsts ( xi, eta, a0, b0, &a, &b );

```

```
    iauTpstv ( xi, eta, v0, v );
i = iauTpxes ( a, b, a0, b0, &xi, &eta );
i = iauTphev ( v, v0, &xi, &eta );
i = iauTtai ( tt1, tt2, &tai1, &tai2 );
i = iauTtcg ( tt1, tt2, &tcg1, &tcg2 );
i = iauTtdb ( tt1, tt2, dtr, &tdb1, &tdb2 );
i = iauTtut1 ( tt1, tt2, dt, &ut11, &ut12 );
i = iauUt1tai ( ut11, ut12, &tai1, &tai2 );
i = iauUt1tt ( ut11, ut12, dt, &tt1, &tt2 );
i = iauUt1utc ( ut11, ut12, dut, &utc1, &utc2 );
i = iauUtctai ( utc1, utc2, dta, &tai1, &tai2 );
i = iauUtcut1 ( utc1, utc2, dut, &ut11, &ut12 );
iauXy06 ( date1, date2, &x, &y );
iauXys00a ( date1, date2, &x, &y, &s );
iauXys00b ( date1, date2, &x, &y, &s );
iauXys06a ( date1, date2, &x, &y, &s );
```